



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/695,327	10/27/2003	Yin-Chun Huang	9585-0439	4865
73552	7590	11/23/2009		
Stolowitz Ford Cowger LLP 621 SW Morrison St Suite 600 Portland, OR 97205			EXAMINER VO, QUANG N	
			ART UNIT 2625	PAPER NUMBER
			MAIL DATE 11/23/2009	DELIVERY MODE PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No. 10/695,327	Applicant(s) HUANG ET AL.	
	Examiner Quang N. Vo	Art Unit 2625	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 14 August 2009.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-13 and 18-29 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-13 and 18-29 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Response to Arguments

Applicant's arguments with respect to claims have been considered but are moot in view of the new ground(s) of rejection.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 1-13, and 18-29 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hajjahmad et al. (Hajjahmad) (US 5,748,770) in view of Maurer et al. (Maurer) (US 6,650,773).

Regarding claim 1, Hajjahmad discloses a computer implemented method for reducing image noise in a scanned image (e.g., FIG. 1 illustrates an electronic image processing system where an image signal source, such as an electronic still camera 10 or a scanner 12, provides an electronic image signal which represents an image of the subject (not shown). A computer 18 receives the electronic signal from the image signal source and thereafter processes the image signal electronically to provide any number of known image processing functions such as resizing, sharpening, noise removal, column 4, lines 2-10), comprising: scanning with a scanner to obtain a color level of a color element of a pixel of the scanned image (e.g., FIG. 1 illustrates an electronic image processing system where an image signal source, such as an electronic still

Art Unit: 2625

camera 10 or a scanner 12, provides an electronic image signal which represents an image of the subject, column 4, lines 2-6); composing a pattern comprising the color element having less color level than the full color level (e.g., from step 404 to step 414, figure 4, column 10, lines 22-39. Note: recovery color level by row and column representing array/halftone pattern); and restoring the full color level of the color element by combining the reduced color level image with the pattern (e.g., step 416, figure 4).

Hajjahmad does not explicitly disclose decreasing the color level of the color element by reducing a number of bits of a full color level of the color element to form a reduced color level image.

Maurer discloses decreasing the color level of the color element by reducing a number of bits of a full color level of the color element to form a reduced color level image (e.g., the luminance channel is bit-depth truncated (block 106). Bit-depth of the luminance channel is reduced to discard visually unimportant information to a level where visual artifacts are virtually unnoticeable (e.g., small contouring artifacts might be barely noticeable), column 2, lines 44-51. Note: the bit depth truncated may be performed in RGB color space with Red, Green, and Blue color component or in YCbCr color space).

Therefore it would have been obvious to one of ordinary skill in the art at the time of the invention to have modified Hajjahmad to include decreasing the color level of the color element by reducing a number of bits of a full color level of the color element to form a reduced color level image as taught by Maurer. It would have been obvious to

Art Unit: 2625

one of ordinary skill in the art at the time of the invention to have modified Hajjahmad by the teaching of Maurer to reduce image noise.

With regard to claim 2, Maurer discloses wherein the reduced color level image and the pattern are combined using a bit enhanced method (e.g., bit-depth truncation, block 106, column 2, lines 44-48. Note: examiner interprets that because Bit-depth of the luminance channel is reduced to discard visually unimportant information to a level where visual artifacts are virtually unnoticeable. Thus bit-depth truncation is a bit enhanced method).

Regarding claim 3, Hajjahmad and Maurer combined disclose wherein combining the reduced color level image (e.g., bit-depth truncation, block 106, column 2, lines 44-48) with the pattern restores the pixel to include a same number of bits of the color element as before the full color level was decreased (e.g., from step 404 to step 414, figure 4, column 10, lines 22-39 and step 416, figure 4).

With regard to claim 4, Hajjahmad discloses wherein the pattern comprises a halftone pattern (e.g., FIG. 3A provides the following example of vertical color recovery followed by horizontal color recovery (i.e. column followed by row) for serial implementation of the third color recovery method listed above. An input image $s(j,i)$ having P rows and Q columns is shown in block 300, where i is the row index and j is the column index, column 9, lines 62-65).

With regard to claim 5, Maurer discloses wherein the number of bits reduced from the full color level is set to an image noise level (e.g., Bit-depth of the luminance channel is reduced to discard visually unimportant information to a level where visual

Art Unit: 2625

artifacts are virtually unnoticeable (e.g., small contouring artifacts might be barely noticeable), column 2, lines 45-48. Note: examiner interprets image noise is any kind of noise or artifacts in the image.).

Regarding claim 6, Hajjahmad discloses a computer implemented method for reducing image noise in a scanned image (e.g., FIG. 1 illustrates an electronic image processing system where an image signal source, such as an electronic still camera 10 or a scanner 12, provides an electronic image signal which represents an image of the subject (not shown). A computer 18 receives the electronic signal from the image signal source and thereafter processes the image signal electronically to provide any number of known image processing functions such as resizing, sharpening, noise removal, column 4, lines 2-10), comprising:

scanning the image with a scanner to obtain a gray scale of one or more pixels of the image (e.g., FIG. 1 illustrates an electronic image processing system where an image signal source, such as an electronic still camera 10 or a scanner 12, provides an electronic image signal which represents an image of the subject, column 4, lines 2-6); restoring the gray scale of the one or more pixels using a halftone pattern comprising a matrix, and wherein a number of rows and a number of columns of the matrix correspond to the number of bits of gray scale image data subtracted from the one or more pixels (e.g., from step 404 to step 416, figure 4, column 10, lines 22-39. Note: recovery color level by row and column representing array/halftone pattern. Note: since Hajjahmad discloses restoring the gray scale of the one or more pixels using a halftone pattern comprising a matrix. it would have been obvious to one of ordinary skill in the art

Art Unit: 2625

that to restore and obtain a full level of color image, Hajjahmad must use pattern with row and column equal to number of bits reduced to have full level of color).

Hajjahmad does not explicitly disclose reducing the gray scale of the one or more pixels of the image by reducing a number of bits of gray scale image data from each of the one or more pixels.

Maurer discloses reducing the gray scale of the one or more pixels of the image by reducing a number of bits of gray scale image data from each of the one or more pixels (e.g., the luminance channel is bit-depth truncated (block 106). Bit-depth of the luminance channel is reduced to discard visually unimportant information to a level where visual artifacts are virtually unnoticeable (e.g., small contouring artifacts might be barely noticeable), column 2, lines 44-51. Note: the bit depth truncated may be performed in RGB color space with Red, Green, and Blue color component or in YCbCr color space).

Therefore it would have been obvious to one of ordinary skill in the art at the time of the invention to have modified Hajjahmad to include reducing the gray scale of the one or more pixels of the image by reducing a number of bits of gray scale image data from each of the one or more pixels as taught by Maurer. It would have been obvious to one of ordinary skill in the art at the time of the invention to have modified Hajjahmad by the teaching of Maurer to reduce image noise.

With regard to claim 7, Maurer differs from claim 7, in that he does not explicitly teach the color level of the pattern depends on the number of bits reduced from the full color level.

Art Unit: 2625

Maurer discloses in general, the luminance channel has the bit depth may be truncated down about 2 bits (column 2, lines 44-51); and each chrominance channel may be down-sampling by factor of 2 by replacing 2x2 matrix of pixels by a single pixel (column 2, lines 60-64); and since color is combined of chrominance channel and luminance channel. Thus number of bits reduced can set equal to the size of the pattern (e.g., 2x2 matrix).

Therefore it would have been obvious to one of ordinary skill in the art at the time of the invention to have recognized Maurer is having teaching the color level of the pattern depends on the number of bits reduced from the full color level, or at least obvious to provide functional part for performing the color level of the pattern depends on the number of bits reduced from the full color level.

Regarding claim 8, Hajjahmad discloses a computer implemented method for reducing image noise in a scanned image (e.g., FIG. 1 illustrates an electronic image processing system where an image signal source, such as an electronic still camera 10 or a scanner 12, provides an electronic image signal which represents an image of the subject (not shown). A computer 18 receives the electronic signal from the image signal source and thereafter processes the image signal electronically to provide any number of known image processing functions such as resizing, sharpening, noise removal, column 4, lines 2-10), comprising: scanning with a scanner to obtain a color level of a color element of a pixel of the scanned image (e.g., FIG. 1 illustrates an electronic image processing system where an image signal source, such as an electronic still camera 10 or a scanner 12, provides an electronic image signal which represents an

Art Unit: 2625

image of the subject, column 4, lines 2-6); composing a halftone pattern comprising a reduced image level of the color element corresponding to the decreased number of bits; and restoring an image level of the color element of the pixel using the halftone pattern (e.g., from step 404 to step 416, figure 4, column 10, lines 22-39. Note: recovery color level by row and column representing array/halftone pattern. Note: since Hajjahmad discloses restoring the color level of the one or more pixels using a halftone pattern comprising a matrix. it would have been obvious to one of ordinary skill in the art that to restore and obtain a full level of color image, Hajjahmad must use pattern with row and column equal to number of bits reduced to have full level of color).

Hajjahmad does not explicitly disclose reducing the full image level of the color element by decreasing a number of bits of the color element according to the image noise.

Maurer discloses decreasing the color level of the color element by reducing a number of bits of a full color level of the color element to form a reduced color level image (e.g., the luminance channel is bit-depth truncated (block 106). Bit-depth of the luminance channel is reduced to discard visually unimportant information to a level where visual artifacts are virtually unnoticeable (e.g., small contouring artifacts might be barely noticeable), column 2, lines 44-51. Note: the bit depth truncated may be performed in RGB color space with Red, Green, and Blue color component or in YCbCr color space).

Therefore it would have been obvious to one of ordinary skill in the art at the time of the invention to have modified Hajjahmad to include decreasing the color level of the

Art Unit: 2625

color element by reducing a number of bits of a full color level of the color element to form a reduced color level image as taught by Maurer. It would have been obvious to one of ordinary skill in the art at the time of the invention to have modified Hajjahmad by the teaching of Maurer to reduce image noise.

With regard to claim 9, Hajjahmad discloses wherein a number of bits of the color element in the recombined image level is the same as a number of bits of the color element in the full image level (e.g., from step 404 to step 416, figure 4, column 10, lines 22-39. Note: recovery color level by row and column representing array/halftone pattern. Note: since Hajjahmad discloses restoring the gray scale of the one or more pixels using a halftone pattern comprising a matrix. it would have been obvious to one of ordinary skill in the art that to restore and obtain a full level of color image, Hajjahmad must use pattern with row and column equal to number of bits reduced to have full level of color).

With regard to claim 10, Hajjahmad discloses wherein the halftone pattern comprises a matrix having a number of rows equal to the decreased number of bits (e.g., from step 404 to step 416, figure 4, column 10, lines 22-39. Note: recovery color level by row and column representing array/halftone pattern. Note: since Hajjahmad discloses restoring the gray scale of the one or more pixels using a halftone pattern comprising a matrix. it would have been obvious to one of ordinary skill in the art that to restore and obtain a full level of color image, Hajjahmad must use pattern with row and column equal to number of bits reduced to have full level of color).

Art Unit: 2625

With regard to claim 11, Hajjahmad discloses wherein the halftone pattern comprises a matrix having a number of columns equal to the decreased number of bits (e.g., from step 404 to step 416, figure 4, column 10, lines 22-39. Note: recovery color level by row and column representing array/halftone pattern. Note: since Hajjahmad discloses restoring the gray scale of the one or more pixels using a halftone pattern comprising a matrix. it would have been obvious to one of ordinary skill in the art that to restore and obtain a full level of color image, Hajjahmad must use pattern with row and column equal to number of bits reduced to have full level of color).

With regard to claim 12, Maurer discloses further comprising displaying the image including the recombined image level on a computer monitor (e.g., block 160, figure 2).

With regard to claim 13, Maurer discloses further comprising filling out missing codes of the pixel using a bit-enhanced method (e.g., the interpolation may be performed by pixel replication, column 3, lines 47-51).

Referring to claim 18:

Claim 18 is the apparatus claim corresponding with method steps in claim 8. Therefore claim 18 is rejected as set forth above for claim 8.

Referring to claim 19:

Claim 19 is the apparatus claim corresponding with method steps in claim 9. Therefore claim 19 is rejected as set forth above for claim 9.

With regard to claim 20, the subject matter is similar to claims 10 and 11. Therefore claim 20 is rejected as set forth above for claims 10 and 11.

Art Unit: 2625

With regard to claim 21, the subject matter is similar to claim 9. Therefore claim 21 is rejected as set forth above for claim 9.

With regard to claim 23, the subject matter is similar to claim 7. Therefore claim 23 is rejected as set forth above for claim 7.

With regard to claim 24, Maurer discloses wherein one or more of the full image level, the reduced image level, and the image level comprise a color level (e.g., the digital image is made up of a plurality of pixels, each pixel being represented by an n-bit word. In a typical 24-bit word representing RGB color space, for instance, eight bits represent a red component, eight bits represent a green component and eight bits represent a blue component, column 2, lines 7-14. Note: examiner interprets that each color component has 8 bits and the combination of color components to represent a full image level, and the reduced image level.).

Regarding claim 25, Maurer discloses wherein one or more of the full image level, the reduced image level, and the image level comprise a gray level (e.g., the digital image is made up of a plurality of pixels, each pixel being represented by an n-bit word. In a typical 24-bit word representing RGB color space, for instance, eight bits represent a red component, eight bits represent a green component and eight bits represent a blue component, column 2, lines 7-14. Note: examiner interprets that each color component has 8 bits, which has 255 gray scale for each color component).

Regarding claim 26, Hajjahmad discloses wherein the scanned image comprises three color elements, and wherein the pixel comprises at least one of the three color elements (e.g., Red, green, and blue in RGB color space, figure 4).

Art Unit: 2625

Regarding claim 27, Hajjahmad discloses wherein the three color elements comprise a red color element, a blue color element, and a green color element (e.g., Red, green, and blue in RGB color space, figure 4).

Regarding claim 28, Maurer discloses wherein the full image level of the color element and the recombined image level of the color element comprises a gray level (e.g., luminance channel, column 2, line 44).

Regarding 29, Maurer discloses wherein the full image level is reduced by decreasing a number of bits of the gray level (e.g., The luminance channel is bit-depth truncated (block 106). Bit-depth of the luminance channel is reduced to discard visually unimportant information to a level where visual artifacts are virtually unnoticeable, column 2, lines 44-47).

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Quang N. Vo whose telephone number is (571)270-1121. The examiner can normally be reached on 7:30AM-5:00PM Monday-Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David K. Moore can be reached on (571)272-7437. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2625

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Q. N. V./
Examiner, Art Unit 2625

/David K Moore/
Supervisory Patent Examiner, Art Unit 2625